

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/873,866	06/04/2001	Mark K. Hechinger	1007-103.US	4668
23390 7:	590 02/25/2003			
COLIN P ABRAHAMS EXAMINER				NER
5850 CANOGA AVENUE SUITE 400			CHEU, CHANGHWA J	
WOODLAND HILLS, CA 91367			ART UNIT	PAPER NUMBER
			1641	THERNOMER
			DATE MAILED: 02/25/2003	4

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)
		09/873,866	HECHINGER, MARK K.
	Office Action Summary	Examin r	Art Unit
		Jacob Cheu	1641
Period fo	The MAILING DATE of this communication ap r Reply	ppears on the cover sheet with	h the correspondence address
THE N - Exter after - If the - If NO - Failur - Any o	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. Isions of time may be available under the provisions of 37 CFR 1. SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a rep period for reply is specified above, the maximum statutory period to to reply within the set or extended period for reply will, by statute eply received by the Office later than three months after the mailing d patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a repoly within the statutory minimum of thirty will apply and will expire SIX (6) MONTI	oly be timely filed  (30) days will be considered timely.  HS from the mailing date of this communication.
1)[	Responsive to communication(s) filed on 12	November 2002 .	
2a)	This action is <b>FINAL</b> . 2b)⊠ Ti	his action is non-final.	•
3) 🗌 Disposition	Since this application is in condition for allow closed in accordance with the practice under on of Claims	rance except for formal matter Ex parte Quayle, 1935 C.D.	ers, prosecution as to the merits is . 11, 453 O.G. 213.
4)⊠	Claim(s) <u>1-26</u> is/are pending in the applicatio	n.	
4	4a) Of the above claim(s) <u>20-25</u> is/are withdra	wn from consideration.	
5)	Claim(s) is/are allowed.		
6)	Claim(s) <u>1-19 and 26</u> is/are rejected.		
7)	Claim(s) is/are objected to.		
	Claim(s) are subject to restriction and/o	or election requirement.	
	he specification is objected to by the Examine	ì.	•
	he drawing(s) filed on is/are: a)  acce		Evaminor
٠,٣	Applicant may not request that any objection to the		
11) 🗌 T	he proposed drawing correction filed on	is: a)□ approved b)□ dis:	annroyed by the Evaminer
	If approved, corrected drawings are required in re		approved by the Examiner.
12)∐ T	he oath or declaration is objected to by the Ex		
	nder 35 U.S.C. §§ 119 and 120		
	Acknowledgment is made of a claim for foreign	n priority under 35 H.S.C. & 1	119(a)_(d) or (f)
	] All b)	- priority arraer et e.e.e. 3	1.10(a) (a) 01 (1).
	1. Certified copies of the priority document	s have been received	
2	2. Certified copies of the priority document		lication No
	Copies of the certified copies of the prio		
	application from the International Buse the attached detailed Office action for a list	reau (PCT Rule 17.2(a)).	_
14)∏ Ac	knowledgment is made of a claim for domesti	ic priority under 35 U.S.C. §	119(e) (to a provisional application)
a) 15)∐ Ad	☐ The translation of the foreign language procknowledgment is made of a claim for domest	ovisional application has bee ic priority under 35 U.S.C. §§	n received. § 120 and/or 121.
Attachment(			
2)  Notice 3) Informa	of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (PTO-948) ation Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Info	mmary (PTO-413) Paper No(s) ormal Patent Application (PTO-152)
5. Patent and Trac ΓΟ-326 (Rev.		ction Summary	Part of Paper No. 4

Application/Control Number: 09/873,866

Art Unit: 1641

#### **DETAILED ACTION**

#### Election/Restrictions

Applicant's election with traverse of claims 1-19 and group II, claims 25-26, in Paper No. 3 is acknowledged. The traversal is on the ground(s) that claims 25 and 26 are product claims based on the method of claim 1 and are entitled to inclusion in this election. This is not found persuasive because claim 25 directs to a no wash kit, and with a limitation of an "indicator antibody", which is not required by the claims of group I. Nevertheless, claim 26, an assay directs to the testing for the presence of a target substance using claim 1 method, can be considered into group I. Therefore, the examiner would regroup claim 26 into group I but remain claim 25 in group II as a patentably distinct and unrelated invention on the reasons as set forth above. Claims 20-25 are withdrawn from further consideration.

The requirement is still deemed proper and is therefore made FINAL.

### Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
   The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 2. Claims 1-19 and 26 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

With respect to claim 1, line 8, "to an effective amount," is vague and indefinite. It is unclear as to what "effective" amount applicant refers to.

With respect to claim 1, line 6, "including washing the beads in the buffer," is vague and confusing. It is unclear and inconsistent to the preamble of the instant claim because the purported purpose of the recited method focuses on "no wash" bead assay whereas there includes a washing step in the recited method.

Page 3

With respect to claim 1, line 11, "adding buffer," is vague and indefinite. It is unclear whether this "buffer" is the first reagent buffer. Applicant needs to clearly specify.

With respect to claim 8, line 2, "selected from one or more of the group consisting of," is vague and confusing. Applicant needs to change the wording "group" to "groups" for clarity.

With respect to claim 12, "RNP/SM, SM, SS-A, SS-B, SCL-70 and dsDNA" is vague and indefinite. Applicant needs to clearly specify each of the recited substance.

With respect to claim 13, it shared the same problem as to the incorrect wording "group." Furthermore, "one of more of the group" should be changed to "one or more of the groups".

With respect to claim 13, "wherein the antigens are selected from one of more of the group consisting of ....viral antibodies,.. bacterial antibodies," is vague and confusing. It is well-known that antigen and antibodies are structural and functional different molecules. Antigen and antibody cannot be used interchangeably. Appropriate correction is needed.

With respect to claim 14, "the surfactancy of the beads is reduced to no more than 5% in order to enhance the ability," is vague and confusing. It is unclear what applicant refers to the "5%". Does applicant mean no more than 5% of coefficient of variation of the bead size as recited in the claim 1, or something particular other than such limitation. Appropriate specification is needed.

With respect to claim 26, it lacks the active steps as to show how one of ordinary skill in the art to conduct the assay of determining the presence of a target substance pursuant to purpose set forth in the preamble.

Application/Control Number: 09/873,866 Page 4

Art Unit: 1641

# Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 5. Claims 1, 5-11, 13-19 and 26 are rejected under 35 U.S.C. 102 (b) as anticipated by Hansen Peter. (USP 5286452)

Hansen teaches preparing immunoassay beads in a physiological buffer, i.e. HEPES. (Col. 13, line 54-55) Hansen also teaches selecting size of beads around coefficient of variation of diameter of particles ranged from 0.1- 4.0% to reduce surfactancy of the beads. (Col. 13, line 55-58) In addition, Hansen teaches that both Ag or Ab proteins could be coated on the beads for detection purpose. (Col. 2, line 24-26) Hansen teaches incubate the bead-antibody mixture with the buffer. (Col. 13, line 52-59) Hansen teaches using protein to block the non-specific binding sites on the beads, i.e. 0.1% or 0.5 BSA (Col. 13, line 67; Col. 14, line 48) Furthermore, Hansen teaches the sizes of the particles ranging from 0.02 to 12 μm and using multiple-size beads for simultaneous assay. (Col. 12, line 25-40; Example 4) Hansen teaches detecting cellular antigens in human serum such as thyroid stimulating hormone (TSH). (Col. 14, line 35-40) Hansen also teaches prewashing bead buffer, centrifuging, vortexting and resuspension of the coated beads. (See Example 1, 2)

## Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person

Application/Control Number: 09/873,866

Art Unit: 1641

having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Page 5

- 5. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - 2. Ascertaining the differences between the prior art and the claims at issue.
  - 3. Resolving the level of ordinary skill in the pertinent art.
  - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 6. Claims 2, 3, 4 are rejected under 35 U.S.C. 103 (a) as unpatentable over Hensen in view of Fulwyler et al. (Method in Cell Biology, Vol. 33, Ch. 15 (1990) Page 613-629)

Hensen's reference has been discussed but Hansen does not explicitly teach using carbonate buffer for the coating process. Fulwyler et al. teach coating microparticles in flow cytometers for detection of analyte of interest. Fulwyler et al. teach that the coating process is dependent on the pH and the ionic strengh of the buffer. (page 617, First paragraph) Fulwyler et al. teach using sodium bicarbonate buffer (pH = 9.5) for better noncovalent protein attachment of the microparticles. (See VI Appendix: Solutions and Suppliers) Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have provided the method of Hansen with the agent of carbonate buffer as taught by Fulwyler et al., for better adsorption of the antigens on the microparticles in the flow cytometer assay.

8. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen in view of Lim et al. (Chemical Sensor (1998) 14: 77-80)(English Abstract)

Application/Control Number: 09/873,866

Art Unit: 1641

Page 6

Hansen's reference has been discussed but fails specifically teaching using specific antigens, such as rheumatic diseases proteins, such as dsDNA, SS-B, SS-A or Scl-70. Lim et al. teach using automated flow immunoassay as a simple, rapid, and convenient method, to detect rheumatic related antibody dsDNA. (See abstract) Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have provided the assay method of Hansen to detect rheumatic disease proteins as taught by Lim et al. since using flow cytometer to detect cellular antigen or antibody is a routine clinical practice in the art for a simple, convenient and rapid analysis.

### Conclusion

- 8. No claim is allowed.
- 9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacob Cheu whose telephone number is 703-306-4086. The examiner can normally be reached on 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long Le can be reached on 703-305-3399. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-4242 for regular communications and 703-308-4242 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3399.

Jacob Cheu JAM Character Examiner

Art Unit 1641

LONG Y. LE

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600

MODERAL SEIVIER 1000

02/24/0

\*\*\*

February 23, 2003